

A digital Standee refers to a Digital Display typically used for Advertising or Promotional purposes in public spaces such as malls, Trade Shows, Airports, or Events. Instead of traditional printed posters or banners, Digital Standees utilize Screens or Monitors to display Dynamic content such as videos, animations, slideshows, or interactive elements.



“Say It Digitally, Say It Smart”

SAMSUNG

Slim-line Series

WALL MOUNT DISPLAYS



Anti-glare Coating



24 Hour Operation



Warranty



High Brightness



Sizes available in
32" - 85"



Table Top Display



Screen Size	10.1" IPS Screen	15.6" Touch
Panel Resolution	1024*600	1920*1080
Brightness	350 Nits	500 Nits
Viewing Angle	80/80/80	80/80/80
Operating systems	Android 8.1	Android 10.0
RAM/ CPU	1 GB RK3326S	2 GB
ROM	Flash 16GB	16 GB
Power	DC-12V5A	DC-12V 2A



32" Slim-line Totem Display

Model No. Us3201

Screen Size	31.5" (80 cm)	Ram/ DDR	1 GB
Panel Resolution	HD 1366X 768p	ROM/ eMMC 8GB	8 GB
Brightness	270 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 GHz	Max Power	50W max (o/p)
GPU 6 Core	Mali- 450 MP4	Warranty	1 year



Warranty



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play



Tempered Glass



43" Slim-line Totem Display

Model No. US4301

Screen Size	42.52" (109 cm)	Ram/ DDR	1 GB
Panel Resolution	FHD 1920X 1080p	ROM/ eMMC 8GB	8 GB
Brightness	350 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 GHz	Max Power	75W max (o/p)
GPU 6 Core	Mali- 450 MP4	Warranty	1 year



Warranty



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play



Tempered Glass



55" Slim-line Totem Display

MODEL NO. US5501

Screen Size	55.11" (140 cm)	Ram/ DDR	2 GB
Panel Resolution	UHD-3840X 2160	ROM/ eMMC 8GB	16 GB
Brightness	350 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A55/ 1.9 GHz	Max Power	140W max (o/p)
GPU 6 Core	Mali- G31 Mp2/ 800MHz	Warranty	1 year

- 
 Warranty
- 
 Made in India
- 
 12/7 Operation
- 
 High Brightness
- 
 In-built CMS Software
- 
 USB Loop Play
- 
 Tempered Glass

23" Bar Display

Model No. Us2301



Panel Size	23"	Led Backlight	Yes
Resolution	1920x158	Response Time	8ms
Brightness	700NIT	Operation Time	27/7
Android	Android 11	Life	50000(hrs)
Contrast	1500:1Size	Power Supply	AC110-240V 50-60Hz
Memory	1Gb + 8Gb	USB	USB Type C for Power
Viewing Angle	178/178 Degree	Warranty	1 Year Carry in Warranty



32" Totem Display

Model No: FX-32T

Screen Size	31.5" (80 cm)	Ram/ DDR	1 GB
Panel Resolution	HD 1366X 768p	ROM/ eMMC 8GB	8 GB
Brightness	270 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 GHz	Max Power	50W max (o/p)
GPU 6 Core	Mali- 450 MP4	Warranty	1 year



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play



43" Totem Display

Model No: FX-43T

Screen Size	42.52" (109 cm)	Ram/ DDR	1 GB
Panel Resolution	FHD 1920X 1080p	ROM/ eMMC 8GB	8 GB
Brightness	350 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 GHz	Max Power	75W max (o/p)
GPU 6 Core	Mali- 450 MP4	Warranty	1 year



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play

55" Totem Display

Model No: FX-55T

Screen Size	55.11" (140 cm)	Ram/ DDR	2 GB
Panel Resolution	UHD-3840X 2160	ROM/ eMMC 8GB	16 GB
Brightness	350 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A55/ 1.9 GHz	Max Power	140W max (o/p)
GPU 6 Core	Mali- G31 Mp2/ 800MHz	Warranty	1 year



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play



32" T-Stand

Model No: FX-32TS

Screen Size	31.5" (80 cm)	Ram/ DDR	1 GB
Panel Resolution	HD 1366X 768p	ROM/ eMMC 8GB	8 GB
Brightness	270 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 GHz	Max Power	50W max (o/p)
GPU 6 Core	Mali- 450 MP4	Warranty	1 year

Also available in Black ● White ○



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play





32" Aisle Display

Model No: FX-32AW

Screen Size	31.5" (80 cm)	Ram/ DDR	1 GB
Panel Resolution	HD 1366X 768p	ROM/ eMMC 8GB	8 GB
Brightness	270 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 GHz	Max Power	50W max (o/p)
GPU 6 Core	Mali- 450 MP4	Warranty	1 year

Also available in Black ● White ○



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play



43" Aisle Display

Model No: FX-43A

Screen Size	42.52" (109 cm)	Ram/ DDR	1 GB
Panel Resolution	FHD 1920X 1080p	ROM/ eMMC 8GB	8 GB
Brightness	350 cd/m2	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 GHz	Max Power	75W max (o/p)
GPU 6 Core	Mali- 450 MP4	Warranty	1 year

Also available in Black ● White ○



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play

Ultra Slim Standees



Model: 32AF
Code: SH 32AF
(32 inch)

Ultra Slim Standee only 20mm Thickness
500 Nits High Brightness Display
Commercial Panel for 24 x 7 hours Operation
Inbuilt Android Operating System
Inbuilt Speakers
Interface: USB /RJ45 Port/Inbuilt WiFi
Galvanized Iron Body with Toughened Glass
USB Plug & Play option
Easy to carry, Portable Design
Cloud Signage app with Central Content Management



Model: 43AF
Code:
(43 inch)

Ultra Slim Standee only 30mm Thickness
400 Nits High Brightness Display
Commercial Panel for 24 x 7 hours Operation
Inbuilt Android Operating System
Inbuilt Speakers
Interface: USB /RJ45 Port/Inbuilt WiFi
Galvanized Iron Body
Black & White Colour Options
USB Plug & Play option
Very Slim & Portable Design (Wheel Optional)
Cloud Signage app with Central Content Management



Model: 43AV
Code: SH 43AV
(43inch)

Model: 55AV
Code: SH 55AV
(55inch)

Model: 65AV
Code: SH 65AV
(65inch)

Full HD Display in 43" | 4K in 55" & 65"
400 Nits High Brightness Display in 43" & 65"
500 Nits High Brightness Display in 55"
60000+ Lifetime Hours
1-HDMI Input/2- USB Ports
Inbuilt Speakers
Inbuilt Android Operating System
Glossy Look with Toughened Glass
Commercial Panel for 24 x 7 hours Operation
Ultraslim Design
USB Plug & Play option
Wheel optional for easy movement
Corrugated Box Packing for easy transportation
Cloud Signage app with Central Content Management

Ultra Slim Standees



Model: 43IRT
Code:
(43 inch)

Model: 55IRT
Code:
(55 inch)

IR Multi Touch Digital Standee without PC
1920*1080 Full HD Display
400 Nits High Brightness Display
IR 10 Point Multi Touch
1-HDMI Input/2- USB Ports/1-VGA
Inbuilt Speakers
Armored Glass Screen Protection
Black body with Aluminium Sliver Border Finish
8ms Response Time
Commercial Panel for 24 x 7 hours Operation
Wheel optional for easy movement
Corrugated Box Packing for easy transportation
Android / Windows MiniPC extra as required Pcap



Model: 32CT
Code:
(32 inch)

Multi Touch Digital Standee without PC
1920*1080 Full HD Display
400 Nits High Brightness Display
PCap 10 Point Multi Touch
1-HDMI Input/2- USB Ports/1-VGA
Inbuilt Speakers
Armored Glass Screen Protection
Black body with Aluminium Sliver Border Finish
8ms Response Time
Commercial Panel for 22 x 7 hours Operation
Wheel optional for easy movement
Corrugated Box Packing for easy transportation
Android / Windows MiniPC optional as required

Factory Fitted Capacitive Touch Monitors



15.6 inch

Capacitive 10 Multi Touch
1024 x 768 Resolution
350 Nits High Brightness
15.6 inch LED Display
VGA + HDMI + Touch USB
Toughened Glass Protection
Metal Stand



21.5 inch

Capacitive 10 Multi Touch
1920 x 1080 FHD Resolution
350 Nits High Brightness
Commercial grade LED Display
VGA + HDMI + Touch USB
Inbuilt Speakers
Toughened Glass Protection
Metal Body



32 inch

Wallmount Brackets | No Stand
Capacitive 10 Multi Touch
1920 x 1080 FHD Resolution
400 Nits High Brightness
Commercial grade LED Display
VGA + HDMI + USB
Inbuilt Speakers
Toughened Glass Protection
Metal Body



43 inch

Wallmount Brackets | No Stand
Capacitive 10 Multi Touch
1920 x 1080 FHD Resolution
400 Nits High Brightness
Commercial grade LED Display
VGA + HDMI + USB
Inbuilt Speakers
Toughened Glass Protection
Metal Body



55 inch

Wallmount Brackets | No Stand
Capacitive 10 Multi Touch
3840 x 2160 4K Resolution
500 Nits High Brightness
Commercial grade LED Display
VGA + HDMI + USB
Inbuilt Speakers
Toughened Glass Protection
Metal Body
Wallmount Brackets | No Stand

Factory Fitted IR Touch Monitors



43 inch

IR 10 Multi Touch
1920 x 1080 FHD Resolution
400 Nits High Brightness
Commercial grade LED Display
VGA + HDMI + USB
Inbuilt Speakers
Toughened Glass Protection
Metal Body
Wallmount Brackets | No Stand

Factory Fitted Pcap Touch Android All In One



21.5 inch
 Android
 AIO

Capacitive 10 Multi Touch
1920 x 1080 FHD Resolution
350 Nits High Brightness
Commercial grade LED Display
4GB RAM | 32GB Flash Memory
2 x USB | 1 x LAN Ports
Android 11 OS
WiFi + Bluetooth | Rotation Support
Inbuilt Speakers
Toughened Glass Protection
Metal Body
Wallmount Brackets | Stand Optional

Wall Mount Signage Display Slim Series



10.1 inch

Wallmount + Tabletop Commercial Display can work 24x7
 Capacitive Touch
 1GB RAM / 32GB Storage
 USB + Wi-Fi + Memory card
 Android Operating System
 Inbuilt Speakers
500 Nits Brightness
USB Autocopy & Autoplay Content Software included
 Horizontal Vertical Orientation Support
 For Cloud CMS SW @ Rs. 1000 + GST Extra



21.5 inch

Wallmount + Tabletop Commercial Display can work 24x7
 1GB RAM / 32GB Flash
 USB + WiFi
 Android Operating System
 Inbuilt Speakers
400 Nits Brightness
USB Autocopy & Autoplay Content Software included
 Horizontal Vertical Orientation Support
 For Cloud CMS SW @ Rs. 1000 + GST Extra



32 inch

Wallmount Commercial Display can work 24x7
 Quadcore CPU
 1GB RAM / 8GB Flash
 USB + RJ45 + WiFi
 Android Operating System
400 Nits Brightness
USB Autocopy & Autoplay Content Software included
 Horizontal Vertical Orientation Support
 For Cloud CMS SW @ Rs. 1000 + GST Extra



43 inch
 43W

Wallmount Commercial Display can work 24x7
 Quadcore CPU
 1GB RAM / 8GB Flash
 USB + RJ45 + WiFi
 Android Operating System
500 Nits Brightness
USB Autocopy & Autoplay Content Software included
 Horizontal Vertical Orientation Support
USB Autocopy & Autoplay Content Software included

K Type Navigation Kiosk Standees

Capacitive Multitouch Display Kiosk



215PCKT
21.5" Screen Size

350nits Brightness
Capacitive Multitouch Commercial Monitor
1920 x 1080 FHD Resolution
HDMI + VGA Input
Inbuilt Speakers
Toughned Glass for Protection
Android MiniPC (4GB RAM | 32GB Flash | Android OS)
(Windows MiniPC Optional)
Metal Body K Type Stand



32PCKT
32" Screen Size

400nits Brightness
Capacitive Multitouch Commercial Monitor
1920 x 1080 FHD Resolution
HDMI + VGA Input
Inbuilt Speakers
Toughned Glass for Protection
Android MiniPC (4GB RAM | 32GB Flash | Android OS)
(Windows MiniPC Optional)
Metal Body K Type Stand



43PCKT
43" Screen Size

400nits Brightness
Capacitive Multitouch Commercial Monitor
1920 x 1080 FHD Resolution
HDMI + VGA Input
Inbuilt Speakers
Toughned Glass for Protection
Android MiniPC (4GB RAM | 32GB Flash | Android OS)
(Windows MiniPC Optional)
Metal Body K Type Stand



55PCKT
55" Screen Size

500 Nits High Brightness
Capacitive Multitouch Commercial Monitor
3840 x 2160 4K Resolution
HDMI + VGA Input
Inbuilt Speakers
Toughned Glass for Protection
Android MiniPC (4GB RAM | 32GB Flash | Android OS)
(Windows MiniPC Optional)
Metal Body K Type Stand

K Type Navigation Kiosk Standees

IR Multitouch Display



43IRKT
43" Screen Size

400 Nits High Brightness
IR Multitouch Commercial Monitor
1920 x 1080 FHD Resolution
HDMI + VGA Input
Inbuilt Speakers
Toughned Glass for Protection
Android MiniPC (4GB RAM | 32GB Flash | Android OS)
(Windows MiniPC Optional)
Metal Body Stand

FX Series

Mechanical Dimensions



Please note this is a visual representation

CX Series

WALL MOUNT DISPLAYS

Innovative displays of the future

Sizes available in **24" - 110"**



Bezel



Brilliant Visuals




In-built
CMS Software



Full
HD Display




Potrait
Landscape



CMS

Powerful way to grow your business

Online
Cloud-based CMS



Access through centralized location and manage multiple displays at once with a click of a button



Digital Signage

Digital is Future!

Your Business Deserves Attention - We've Got You Covered



Let's Connect!



99903 94925



parveen@2getherzmarketing.com



www.2getherzmarketing.com

Head Office:



A-21/22, Naraina Indl. Area, Phase 2,
New Delhi - 110028.