



Digital Signage

Smarter Signage
Stronger Brand
Better Tomorrow

Digital Solutions
That Connect and
Convert.



Retail



Corporate



Hospitality



Education

We Help Business Form A Strategy to
Grow Their Brand Using Great Signage

E Ink Releases Latest Generation Full Color Display



A New Way to Display Art – Inspired by Japan’s tradition of appreciating seasonal beauty and calm spaces. Stunning Full-Color E Ink Display – Vivid artwork with paper-like texture, gentle on the eyes and energy efficient. The recipient only needs the frame – you simply send artwork or messages from your smartphone. A thoughtful new way to share meaningful moments and words with loved ones, even from afar. Create Your Own AI-Inspired Art – Transform your ideas and emotions into personalized artwork using your favorite creative tools, then display them beautifully on the full-color E Ink screen.

Elevating Visual Communication

1. Executive Summary

Modern Engagement, Redefined : **M/s 2Getherz Digitech Private Limited** is a premier provider of high-definition digital standee solutions designed to transform how brands interact with their audience. By blending cutting-edge hardware with intuitive content management software, we turn static spaces into dynamic, revenue-generating experiences.

OUR STORY

Our story began in 2016, in Delhi, with a simple thought screens shouldn't just exist they should speak

That thought became **M/s 2Getherz Digitech Private Limited & M/s 2Getherz Marketing Private Limited founded by Parveen Sharma and Kanwarjeet Singh**. We started with a clear purpose: to help businesses communicate better using smart, eye-catching digital signage.

We noticed that people connect more with visuals than words. So we focused on building digital displays that are not only modern but also easy to use and effective. Today, we work with wall-mount displays, table-top screens, and standee digital signage, designed to fit naturally into places like retail stores, offices, hotels, schools, and public spaces.

For us, digital signage isn't just about putting up a screen. It's about understanding where it will be placed, who will see it, and what message it needs to deliver. When all these things come together, the display does its job—grabs attention, shares information, and leaves an impression.

We believe in keeping things simple, reliable, and honest. From the first conversation to final installation, we focus on quality, timely delivery, and long-term support. We grow when our clients grow, and that's something we truly care about.

At 2Getherz Digitech, we're not just building digital signage solutions—we're helping brands tell their stories, one screen at a time.








Let's make your message impossible to miss.

2. Company Overview

- **Headquarters:** Delhi
- **Specialization:** Indoor Digital Signage, Touch-Screen Kiosks, and Cloud CMS.
- **Service Areas:** Retail, Hospitality, Healthcare, Corporate Offices, Hotels, Collage and Events.
- **Mission:** To replace traditional print media with sustainable, high-impact digital storytelling.

3. Our Product Ecosystem

We provide end-to-end solutions, from sleek hardware to the software that powers it.

Product Category	Features	Ideal for
 Slimline Indoor Standees	UHD Resolution Ultra-thin bezel Plug C Play.	 Retail stores Hotel Lobbies
 Interactive Touch Screen	10-Point Capacitive Touch Wayfinding leadgen	 Malls Museums Trade Shows
 Outdoor High Brightness	Ip65 Weatherproof Sunlight-readable Cooling Systems	 Storefronts Bus Stations
 Cloud CMS Software	Remote scheduling Real-time updates Analytics	

4. Why Partner With Us?



Visual Dominance: Our screens offer up to **270-1000 nits** of brightness, ensuring your brand is seen even in high-light environments.



Seamless Management: Update your entire network of screens from a single laptop anywhere in the world using our integrated **Cloud CMS**.



Durability & Design: Industrial-grade panels designed for **24/7** operation encased in elegant, customizable housings.



Sustainability: Drastically reduce paper waste and printing costs by switching to energyefficient **LED technology**.

5. The "Full-Service" Advantage

1. **Consultation:** We assess your space to recommend the right screen size and brightness.
2. **Customization:** Optional branding of the standee chassis with your company colors/logo.
3. **Installation:** Expert setup and network configuration.
4. **Support:** On-site maintenance and remote technical troubleshooting.

6. Our Impact

"Since installing 2Getherz's interactive standees, our foot traffic increased by 30%, and we've eliminated weekly printing costs for promotional posters." — **Marketing Manager, Raymonds**

Trusted By 40+ Brands :




7. Contact Us

Ready to go digital? Let's illuminate your brand.

- **Website:** www.2getherzsignage.com
- **Phone:** +91-99903 94925 ; +91-75030 08995
- **Corp. Office :-** A-34, 3rd Floor, Left side, Naraina Industrial Area, Phase II, Delhi - 110028.
- **Production Unit :-** Khewat No. 439 356 Surya Nagar, Near Barahi Railway Crossing, Bahadurgarh, Dist. Jhajjar, Haryana-124507.
- **Email:** parveen@2getherzmarketing.com

32" SMART MOVABLE DISPLAY



TECHNICAL SPECIFICATION

Screen Parameters

Model No.	2G32D
Panel size	32"
Resolution	1920x1080
Viewing angle	178x178 Degree
Display Area	697.30x392.23
Display scale	16 : 9
Backlight type	LED
Display luminance	300 NITS
Frame frequency	60Hz
Support colors	16.7M, 72%NTSC
Contrast ratio	1000:1(Typ.)(transmission)

Motherboard Configuration

System Version	Android 15
Operation Mode	Capacitive touch/Bluetooth remote control
CPU	MT8788 Octa-core Cortex-A53
GPU	ARM Mali-G72 MP3 700MHz
RAM	DDR4 8GB
ROM	EMMC 128GB
Network Support	Wi-Fi 2.4G/5G
Bluetooth	4.2
HDMI	1 set of HDMI-IN interface
USB	2 x USB2.0 HOST TYPE-A interface
TYPE-C Interface	Support USB OTG for device upgrade

Touch Parameters

Touch Technology	Projection capacitor technology
Touch Scheme	G+G/OGF
Touch point count	10 point effective touch
Touch media	Finger or capacitive touch pen
Touch accuracy	≤2mm
Response time	≤10ms
Touch interface	USB


Body Parameters

Body color	White
Frame material	ABS
Body material	ABS+6063 (metallizing)
Surface material	AG+tempered glass
Camera	13MP Inbuilt
Speaker	4Ω5W*2
Monitor size	733x432x47mm
Product Dimension(W x H x D)	733 x 1380 x 400mm
Packing size	833x565x230mm
Net weight	20KG
Gross weight	22KG
Usages environment	Temperature -0°C~55°C/Humidity 10%RH~90%RH
Storage environment	Temperature -5°C~60°C/Humidity 10%RH~90%RH

WALL MOUNT DISPLAY

Sizes Available in

32" - 85"




3
YEARS



Made in India



24/7 Operation



High Brightness



In-built CMS Software




USB Loop Play

SPECIFICATION

Screen Size	32" To 85"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	120W TO 231W
Brightness	500 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	Yes
HDMI Port	2.0	Warranty	3 Years

WALL MOUNT DISPLAY

Sizes Available in
32" - 85"




Anti-glare Coating



12 Hour Operation



Warranty



High Brightness

SPECIFICATION

Screen Size	32" to 85"	RAM / DDR	1GB to 4GB
Panel Resolution	FHD 1920x 1080p	ROM / eMMC	8GB to 16GB
Brightness	270-350 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 Ghz	Max Power	75W max (o/p)
GPU 6 Core	Mali- 450 Mp4	Warranty	1 Years

Table Top Display



10.1" Table Top Display
2G-TT-10.1



15.6" Table Top Display
2G-TT-15.6

SPECIFICATION

	10.1" Touch Screen	15.6" Touch Screen
Screen Size	10.1" Touch Screen	15.6" Touch Screen
Panel Resolution	1024x600	1080x720
Brightness	350 NITS	400 NITS
Viewing Angle	80/80/80	80/80/80
Operating Systems	Android 10.1	Android 10.1
RAM/CPU	1 GB RK3326S	2 GB RK3326S
ROM	Flash 16GB	16GB
Power	DC-12V5A	DC-12V2A

32" Slim-line Totem Display

Model No. 2G-32S




SPECIFICATION

Screen Size	32"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	55W
Brightness	400 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	Yes
HDMI Port	2.0	Warranty	3 Years



43" Slim-line Totem Display

Model No. 2G-43S



SPECIFICATION

Screen Size	43"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	121W
Brightness	500 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	Yes
HDMI Port	2.0	Warranty	3 Years



50" Slim-line Totem Display

Model No. 2G-50S




SPECIFICATION

Screen Size	50"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	132W
Brightness	500 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	Yes
HDMI Port	2.0	Warranty	3 Years

- 3 YEARS Warranty
- Made in India
- 24 Hour Operation
- High Brightness
- In-built CMS Software
- USB Loop Play
- Tempered Glass

55" Slim-line Totem Display

Model No. 2G-55S



SPECIFICATION

Screen Size	55"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	154W
Brightness	500 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	yes
HDMI Port	2.0	Warranty	3 Years

- 3 YEARS Warranty
- Made in India
- 24 Hour Operation
- High Brightness
- In-built CMS Software
- USB Loop Play
- Tempered Glass

32" Totem Display

Model No. 2G-32T



SPECIFICATION

Screen Size	32"	Ram/ DDR	1 GB
Panel Resolution	HD 1366x768	ROM/ eMMC	8 GB
Brightness	270 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 Ghz	Max Power	50W max (o/p)
GPU 6 Core	Mali- 450 Mp4	Warranty	1 Years



Made in India



12/7 Operation



High Brightness




In-built CMS Software



USB Loop Play

43" Totem Display

Model No. 2G-43T



SPECIFICATION

Screen Size	43"	Ram/ DDR	1 GB
Panel Resolution	FHD 1920x1080p	ROM/ eMMC	8 GB
Brightness	350 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 Ghz	Max Power	75W max (o/p)
GPU 6 Core	Mali- 450 Mp4	Warranty	1 Years



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play

50" Totem Display

Model No. 2G-50T



SPECIFICATION

Screen Size	50"	Ram/ DDR	2 GB
Panel Resolution	UHD 3840x2160	ROM/ eMMC	16 GB
Brightness	350 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A50 1.9 Ghz	Max Power	140W max (o/p)
GPU 6 Core	Mali- G31 Mp2/ 800MHz	Warranty	1 Years



Made in India



12/7 Operation



High Brightness




In-built CMS Software



USB Loop Play

55" Totem Display

Model No. 2G-55T



SPECIFICATION

Screen Size	55"	Ram/ DDR	2 GB
Panel Resolution	UHD 3840x2160	ROM/ eMMC	16 GB
Brightness	350 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A55 1.9 Ghz	Max Power	140W max (o/p)
GPU 6 Core	Mali- G31 Mp2/ 800MHz	Warranty	1 Years



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play

32" Aisle Display

Model No. 2G-32AS



SPECIFICATION

Screen Size	32"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	55W
Brightness	400 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	Yes
HDMI Port	2.0	Warranty	3 Years



Warranty



Made in India



24 Hour Operation



High Brightness




In-built CMS Software



USB Loop Play



Tempered Glass



43" Aisle Display

Model No. 2G-43AS

SPECIFICATION

Screen Size	43"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	121W
Brightness	500 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	Yes
HDMI Port	2.0	Warranty	3 Years



Warranty



Made in India



24 Hour Operation



High Brightness



In-built CMS Software



USB Loop Play



Tempered Glass

32" Aisle Display

Model No. 2G-32AE



SPECIFICATION

Screen Size	32"	Ram/ DDR	1 GB
Panel Resolution	HD 1366x768	ROM/ eMMC	8 GB
Brightness	270 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 Ghz	Max Power	50W max (o/p)
GPU 6 Core	Mali- 450 Mp4	Warranty	1 Years



Made in India



12/7 Operation




High Brightness



In-built CMS Software



USB Loop Play



43" Aisle Display

Model No. 2G-43AE

SPECIFICATION

Screen Size	43"	Ram/ DDR	1 GB
Panel Resolution	FHD 1920x1080p	ROM/ eMMC	8 GB
Brightness	350 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 Ghz	Max Power	75W max (o/p)
GPU 6 Core	Mali- 450 Mp4	Warranty	1 Years



Made in India



12/7 Operation



High Brightness



In-built CMS Software



USB Loop Play



32" T-Stand

Model No. 2GT-32TS

SPECIFICATION

Screen Size	32"	Audio Out	Stereo Mini Jack
Panel Resolution	1920x1080	Power Consumption	55W
Brightness	400 NITS	Operating Hours	24/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Tizen 7.0	Stable Voltage	50 Hz 100- 240V AC
USB Port	2.0	Wi-Fi	Yes
HDMI Port	2.0	Warranty	3 Years

- Warranty
- Made in India
- 24 Hour Operation
- High Brightness
- In-built CMS Software
- USB Loop Play
- Tempered Glass



32" T-Stand

Model No. 2GT-32TE

SPECIFICATION

Screen Size	32"	Ram/ DDR	1 GB
Panel Resolution	HD 1366x768	ROM/ eMMC	8 GB
Brightness	270 NITS	Operating Hours	12/7
Viewing Angle	178/178 Degree	Working Temp	0-40° C
Operating Systems	Anroid v9.0	Stable Voltage	50 Hz 100- 240V AC
CPU Quad-core	A53 1.2 Ghz	Max Power	50W max (o/p)
GPU 6 Core	Mali- 450 Mp4	Warranty	1 Years

- Made in India
- 12/7 Operation
- High Brightness
- In-built CMS Software
- USB Loop Play

23" Bar Display

Model No. 2G-23BB



SPECIFICATION

Panel Size	23"	Led Backlight	Yes
Resolution	1920x158	Response Time	8ms
Brightness	500NIT	Operation Time	24/7
Android	Android 11	Life	50000(hrs)
Contrast	1500:1Size	Power Supply	AC110-240V 50-60Hz
Memory	1Gb + 8Gb	USB	USB Type C for Power
Viewing Angle	178/178 Degree	Warranty	1 Year Carry in Warranty

27" Bar Display


Model No. 2G-27BB



SPECIFICATION

Panel Size	27"	Led Backlight	Yes
Resolution	1920x158	Response Time	8ms
Brightness	700NIT	Operation Time	24/7
Android	Android 11	Life	50000(hrs)
Contrast	1500:1Size	Power Supply	AC110-240V 50-60Hz
Memory	1Gb + 8Gb	USB	USB Type C for Power
Viewing Angle	178/178 Degree	Warranty	1 Year Carry in Warranty

Mechanical Dimensions



Please note this is a visual representation

Powerful way to grow your business

Online Cloud-based CMS



Access through centralized location and manage multiple displays at once with a click of a button



Digital Signage

Digital is Future!

Your Business Deserves Attention – We've Got You Covered



Let's Connect!



+91 99903 94925 +91 92117 04792



parveen@2getherzmarketing.com



www.2getherzsignage.com



Head Office:



A-34, 3rd Floor, Naraina Industrial Area
Phase 2, Delhi - 110028



6 days a week Call centre support



Well trained & courteous service staff